

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878



Date of issue: 12/19/2016 Revision date: 06/15/2022 Supersedes: 12/15/2020 Version: 3.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : VERSAPASS® DN Black

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Inkjet printing

##### 1.2.2. Uses advised against

Restrictions on use : No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Memjet, Ltd  
Trintech Building  
South County Business Park  
Leopardstown  
Dublin D18 H5H9 Ireland  
T +353 1 678 0420  
msds@memjet.com www.memjet.com

#### 1.4. Emergency telephone number

Emergency number : For Hazardous Materials Incidents (spill, leak, fire, exposure, or accident) call:  
CHEMTREC: U.S. 1-800-424-9300  
International: +1-703-527-3887 CHEMTREC (24 HOURS)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 healthcare professionals 24/7+353 1 8092166 public,8-10 7/7	UFI HQ00-W0WN-100P-3HR2

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
Hazardous ingredients : 1,2-benzisothiazolone; Sulfonated azo dye  
Hazard statements (CLP) : H317 - May cause an allergic skin reaction.  
Precautionary statements (CLP) : P261 - Avoid breathing mist, spray.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

No additional information available

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	60 – 70	Not classified
Ethylene glycol REACH 01-2119456816-28-XXXX	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index-No.) 603-027-00-1	8	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Ethoxylated acetylenic diols	(CAS-No.) 1606-85-5 (EC-No.) 216-526-0	1 - 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Sulfonated azo dye	(CAS-No.) 1422649-48-6	1 - 5	Skin Sens. 1, H317
Glycerol	(CAS-No.) 56-81-5 (EC-No.) 200-289-5	2	Not classified
1,2-benzisothiazolone	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6	0.036 - 0.04	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
1,2-benzisothiazolone	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6	(C >= 0.05) Skin Sens. 1, H317

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation

: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

First-aid measures after eye contact

: Not expected to be an irritant to eyes. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid measures after ingestion

: Not expected to present a significant ingestion hazard under anticipated conditions of normal use. IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact

: May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

All treatments should be based on observed signs and symptoms of distress in the patient.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media

: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media

: None known.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment : Nitrile rubber gloves.  
Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Nitrile rubber gloves.  
Emergency procedures : Stop leak without risks if possible. Take up small spills with dry chemical absorbent.

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

#### 6.4. Reference to other sections

Section 7: safe handling. Section 8: personal protective equipment. Section 13: disposal information.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing mist, spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container.

Incompatible products : None known.

Incompatible materials : None known.

#### 7.3. Specific end use(s)

Ink.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Glycerol (56-81-5)		
Belgium	Limit value (mg/m³)	10 mg/m³
Belgium	Remark (BE)	(brouillard)
Czech Republic	Local name	Glycerol, mlha
Czech Republic	Expoziční limity (PEL) (mg/m³)	10 mg/m³
Czech Republic	Expoziční limity (PEL) (ppm)	2.44 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m³)	15 mg/m³
Czech Republic	Expoziční limity (NPK-P) (ppm)	3.66 ppm
Czech Republic	Regulatory reference	Nařízení vlády č. 361/2007 Sb. (zpracovány změny č. 93/2012 Sb., 9/2013 Sb.)
Finland	Local name	Glyseroli
Finland	HTP-arvo (8h) (mg/m³)	20 mg/m³
Finland	Regulatory reference	HTP-ARVOT 2016 (Sosiaali- ja terveysministeriö)
Ireland	OEL (8 hours ref) (mg/m³)	10 mg/m³
Slovakia	Local name	Glycerin
Slovakia	NPHV (priemerná) (mg/m³)	10 mg/m³
Slovakia	Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (Zmena: 300/2007 Z.z.; Zmena: 471/2011 Z.z.)
Spain	Local name	Glicerina
Spain	VLA-ED (mg/m³)	10 mg/m³

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

Glycerol (56-81-5)		
Spain	Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2018. INSHT
United Kingdom	WEL TWA (mg/m³)	10 mg/m³
Switzerland	VME (mg/m³)	50 mg/m³
Switzerland	KZGW (mg/m³)	100 mg/m³
Switzerland	Remark (CH)	(inhalable aerosol)

Ethylene glycol (107-21-1)		
EU	Local name	Ethylene glycol
EU	IOELV TWA (mg/m³)	52 mg/m³
EU	IOELV TWA (ppm)	20 ppm
EU	IOELV STEL (mg/m³)	104 mg/m³
EU	IOELV STEL (ppm)	40 ppm
EU	Notes	Skin
Austria	MAK (mg/m³)	26 mg/m³ (H)
Austria	MAK (ppm)	10 ppm (H)
Austria	MAK Short time value (mg/m³)	52 mg/m³ max. 8x5 min./Schicht (gemessen als Momentanwert), (H)
Austria	MAK Short time value (ppm)	20 ppm max. 8x5 min./Schicht (gemessen als Momentanwert), (H)
Belgium	Limit value (mg/m³)	52 mg/m³
Belgium	Limit value (ppm)	20 ppm
Belgium	Remark (BE)	D, M "(en aérosol)"
Czech Republic	Local name	Ethylenglykol
Czech Republic	Expoziční limity (PEL) (mg/m³)	50 mg/m³
Czech Republic	Expoziční limity (PEL) (ppm)	20 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m³)	100 mg/m³
Czech Republic	Expoziční limity (NPK-P) (ppm)	39 ppm
Czech Republic	Remark (CZ)	D
Denmark	Local name	Ethylenglycol (1,2-Ethandiol; Glycol)
Denmark	Grænseværdie (langvarig) (mg/m³)	26 mg/m³ 10 mg/m³ forstøvet
Denmark	Grænseværdie (langvarig) (ppm)	10 ppm
Denmark	Grænseværdie (kortvarig) (mg/m³)	20 mg/m³ (forstøvet) 52 mg/m³ H
Denmark	Grænseværdie (kortvarig) (ppm)	20 ppm H
Denmark	Anmærkninger (DK)	E (betyder, at stoffet har en EF-grænseværdi); H (betyder, at stoffet kan optages gennem huden)
Finland	Local name	1,2-Etaanidioli
Finland	HTP-arvo (8h) (mg/m³)	50 mg/m³
Finland	HTP-arvo (8h) (ppm)	20 ppm
Finland	HTP-arvo (15 min)	100 mg/m³
Finland	HTP-arvo (15 min) (ppm)	40 ppm
Finland	Huomautus (FI)	iho
France	Local name	Ethylèneglycol
France	VME (mg/m³)	52 mg/m³ (vapeur)

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

ethylene glycol (107-21-1)		
France	VME (ppm)	20 ppm (vapeur)
France	VLE (mg/m³)	104 mg/m³ (vapeur)
France	VLE (ppm)	40 ppm (vapeur)
France	Note (FR)	Valeurs réglementaires indicatives; risque de pénétration percutanée
Germany	TRGS 900 Local name	Ethandiol
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	26 mg/m³
Germany	TRGS 900 Occupational exposure limit value (ppm)	10 ppm
Germany	TRGS 900 Remark	DFG,EU,H,Y,11
Germany	TRGS 910 Acceptable concentration notes	
Hungary	Local name	ETILÉNGLIKOL
Hungary	AK-érték	52 mg/m³
Hungary	CK-érték	104 mg/m³
Hungary	Megjegyzések (HU)	b, i; I.
Ireland	OEL (8 hours ref) (mg/m³)	10 mg/m³ particulate; Sk, IOELV 52 mg/m³ vapour; Sk, IOELV
Ireland	OEL (8 hours ref) (ppm)	20 ppm vapour; Sk, IOELV
Ireland	OEL (15 min ref) (mg/m³)	104 mg/m³ vapour; Sk, IOELV
Ireland	OEL (15 min ref) (ppm)	40 ppm vapour; Sk, IOELV
Italy	Local name	Etilen glicol
Italy	OEL TWA (mg/m³)	52 mg/m³
Italy	OEL TWA (ppm)	20 ppm
Italy	OEL STEL (mg/m³)	104 mg/m³
Italy	OEL STEL (ppm)	40 ppm
Latvia	Local name	Etilēnglikols, (1,2-etāndiols)
Latvia	OEL TWA (mg/m³)	52 mg/m³
Latvia	OEL TWA (ppm)	20 ppm
Latvia	OEL STEL (mg/m³)	104 mg/m³
Latvia	OEL STEL (ppm)	40 ppm
Lithuania	IPRV (mg/m³)	25 mg/m³
Lithuania	IPRV (ppm)	10 ppm
Lithuania	TPRV (mg/m³)	50 mg/m³
Lithuania	TPRV (ppm)	20 ppm
Lithuania	Remark (LT)	O; Ði RV taikoma bendrai garø ir aerosolio koncentracijai.
Netherlands	Local name	Ethaan-1,2-diol
Netherlands	Grenswaarde TGG 8H (mg/m³)	52 mg/m³ 10 mg/m³ (damp)
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	104 mg/m³
Netherlands	Remark (MAC)	H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een Haanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.
Poland	Local name	Glikol etylenowy

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

ethylene glycol (107-21-1)		
Poland	NDS (mg/m³)	15 mg/m³
Poland	NDSch (mg/m³)	50 mg/m³
Portugal	Local name	Etilenoglicol
Portugal	OEL - Ceilings (mg/m³)	100 mg/m³ H (Apenas aerossol)
Slovakia	Local name	Etylénglykol (etán-1,2-diol)
Slovakia	NPHV (priemerná) (mg/m³)	52 mg/m³
Slovakia	NPHV (priemerná) (ppm)	20 ppm
Slovakia	OEL STEL (mg/m³)	104 mg/m³
Slovakia	OEL STEL (ppm)	40 ppm
Slovakia	Upozornenie (SK)	(K)
Slovenia	Local name	etandiol (glikol)
Slovenia	OEL TWA (mg/m³)	52 mg/m³
Slovenia	OEL TWA (ppm)	20 ppm
Slovenia	OEL STEL (mg/m³)	104 mg/m³
Slovenia	OEL STEL (ppm)	40 ppm
Spain	Local name	Etilenglicol
Spain	VLA-ED (mg/m³)	52 mg/m³
Spain	VLA-ED (ppm)	20 ppm
Spain	VLA-EC (mg/m³)	104 mg/m³
Spain	VLA-EC (ppm)	40 ppm
Spain	Notes	Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante. Para más información véase el Apartado 5 de este documento), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país).
Sweden	Local name	Etylenglykol
Sweden	nivågränsvärde (NVG) (mg/m³)	25 mg/m³ 25 mg/m³
Sweden	nivågränsvärde (NVG) (ppm)	10 ppm 10 ppm
Sweden	kortidsvärde (KTV) (mg/m³)	104 mg/m³ 104 mg/m³
Sweden	kortidsvärde (KTV) (ppm)	40 ppm 40 ppm
Sweden	Anmärkning (SE)	H (Ämnet kan lätt upptas genom huden Det föreskrivna gränsvärdet bedöms ge tillräckligt skydd endast under förutsättning att huden är skyddad mot exponering för ämnet ifråga); 25 (Gränsvärdet gäller den sammanlagda koncentrationen av ånga och aerosol)
United Kingdom	WEL TWA (mg/m³)	52 mg/m³ (vapour, Sk) 10 mg/m³ (Sk)

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

ethylene glycol (107-21-1)		
United Kingdom	WEL TWA (ppm)	20 ppm (vapour, Sk)
United Kingdom	WEL STEL (mg/m³)	104 mg/m³ (vapour, Sk)
United Kingdom	WEL STEL (ppm)	40 ppm (vapour, Sk)
Norway	Local name	1,2-etandiol (Etylenglykol)
Norway	Grenseverdier (AN) (mg/m³)	52 mg/m³
Norway	Grenseverdier (AN) (ppm)	20 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m³)	104 mg/m³
Norway	Grenseverdier (Korttidsverdi) (ppm)	40 ppm
Norway	Grenseverdier (Takverdi) (ppm)	25 ppm (Damp, H)
Norway	Merknader (NO)	H (Kjemikalier som kan tas opp gjennom huden); E (EU har en veiledende grenseverdi for stoffet); 5) Grenseverdien er basert på beregning av summen av gass- og partikkelform (aerosol) av stoffet; S (Korttidsverdi er en verdi for gjennomsnittskonsentrasjonen av et kjemisk stoff i pustesonen til en arbeidstaker som ikke skal overskrides i en fastsatt referanseperiode. Referanseperioden er 15 minutter hvis ikke annet er oppgitt)
Switzerland	VME (mg/m³)	26 mg/m³
Switzerland	MAK (ppm)	10 ppm
Switzerland	KZGW (mg/m³)	52 mg/m³
Switzerland	KZGW (ppm)	20 ppm

## 8.2. Exposure controls

### Appropriate engineering controls:

Avoid creating mist or spray. Avoid splashing. Either local exhaust or general room ventilation is usually required.

### Personal protective equipment:

Avoid all unnecessary exposure.

### Hand protection:

Wear protective gloves. nitrile rubber gloves. EN374

### Eye protection:

Eye protection should only be necessary where liquid could be splashed or sprayed. EN166

### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Black. liquid.
Colour	: Black.
Odour	: Odourless.
Odour threshold	: No data available
pH	: 7.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≈ 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: No oxidizing properties.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Glycerol (56-81-5)

LD50 oral rat	5570 mg/kg
---------------	------------

#### Ethoxylated acetylenic diols (1606-85-5)

LD50 oral rat	1230 mg/kg (Based on similar product)
---------------	---------------------------------------

#### Water (7732-18-5)

LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 6 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 6 mg/l/4h

#### Ethylene glycol (107-21-1)

LD50 dermal rat	> 3500 mg/kg mouse
LC50 inhalation rat (mg/l)	> 2.5 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 2.5 mg/l/4h

#### Sulfonated azo dye (1422649-48-6)

LD50 oral rat	> 2000 mg/kg bodyweight No mortality. OECD 423.
LD50 dermal rat	> 2000 mg/kg No mortality. OECD 402.



# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

LC50 inhalation rat (Dust/Mist - mg/l/4h)	5.1 mg/l/4h No mortality. OECD 403.
Skin corrosion/irritation	: Not classified (Not irritating to skin)
Serious eye damage/irritation	: Not classified (Not irritating to eyes)
Respiratory or skin sensitisation	: Skin sensitizer
Germ cell mutagenicity	: Not classified (Negative results for in vivo and in vivo mammalian genotoxicity tests.)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

### Ethoxylated acetylenic diols (1606-85-5)

IARC group	Not listed in carcinogenicity class
------------	-------------------------------------

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

### Ethylene glycol (107-21-1)

LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day kidney

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

## SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

### Glycerol (56-81-5)

LC50 fish 1	68 - 72 mg/l
-------------	--------------

### Ethylene glycol (107-21-1)

LC50 fish 1	72860 mg/l Pimephales promelas
EC50 Daphnia 1	> 100 mg/l
NOEC chronic fish	15380 mg/l Pimephales promelas
NOEC chronic crustacea	8590 mg/l Ceriodaphnia sp.

### 12.2. Persistence and degradability

#### VERSAPASS® DN Black

Biodegradation	5.9 % 28 days
----------------	---------------

### Glycerol (56-81-5)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

### Ethylene glycol (107-21-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

### 12.3. Bioaccumulative potential

#### VERSAPASS® DN Black

Bioaccumulative potential	Not established.
---------------------------	------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Component	
Glycerol (56-81-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
Ethylene glycol (107-21-1)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

### 12.6. Other adverse effects      Endocrine Disrupting Properties

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : Not regulated.

UN-No. (IMDG) : Not regulated.

UN-No. (IATA) : Not regulated.

UN-No. (ADN) : Not regulated.

UN-No. (RID) : Not regulated.

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated.

Proper Shipping Name (IMDG) : Not regulated.

Proper Shipping Name (IATA) : Not regulated.

Proper Shipping Name (ADN) : Not regulated.

Proper Shipping Name (RID) : Not regulated.

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not regulated.

#### IMDG

Transport hazard class(es) (IMDG) : Not regulated.

#### IATA

Transport hazard class(es) (IATA) : Not regulated.

#### ADN

Transport hazard class(es) (ADN) : Not regulated.

#### RID

Transport hazard class(es) (RID) : Not regulated.

### 14.4. Packing group

Packing group (ADR) : Not regulated.

Packing group (IMDG) : Not regulated.

Packing group (IATA) : Not regulated.

Packing group (ADN) : Not regulated.

Packing group (RID) : Not regulated.

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not regulated.

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

#### Inland waterway transport

Not regulated.

#### Rail transport

Not regulated.

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

### 14.7. Transport in bulk according to the instruments of the International Maritime Organization and the IBC

Code Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	VERSAPASS® DN Black - Ethoxylated acetylenic diols
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	VERSAPASS® DN Black - Ethoxylated acetylenic diols

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Directive 2012/18/EU (SEVESO III)

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : ethylene glycol is listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
3	Composition/information	Modified	Ethylene glycol
1.3	Address change	Modified	

#### Abbreviations and acronyms:

ATE: Acute Toxicity Estimate
CAS (Chemical Abstracts Service) number
CLP: Classification, Labelling, Packaging.

# VERSAPASS® DN Black

## Safety Data Sheet

according to Regulation (EU) 2020/878

	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	NOEC: No Observable Effect Concentration

Data sources : ACGIH (American Conference of Government Industrial Hygienists).  
Chemical Inspection & Regulation Service; accessed at: [http://www.cirs-reach.com/Inventory/Global\\_Chemical\\_Inventories.html](http://www.cirs-reach.com/Inventory/Global_Chemical_Inventories.html).  
Component Supplier SDSs.  
European Chemicals Agency (ECHA) Registered Substances list.  
European Standards: Personal Protective Equipment; accessed at: [http://ec.europa.eu/enterprise/policies/european-standards/harmonised-standards/personal-protective-equipment/index\\_en.htm](http://ec.europa.eu/enterprise/policies/european-standards/harmonised-standards/personal-protective-equipment/index_en.htm).  
Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.  
Manufacturer Information.  
National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Sens. 1	H317	Calculation method

**SDS Prepared by:** The Redstone Group, LLC  
6077 Frantz Rd.  
Suite 206  
Dublin, OH USA 43017  
T 614-923-7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*